


Тип 1-AS LF

Увеличенный борт

Алюминий (AlMg 1,5)/Сталь




D, мм +0,08/-0,15	L, мм	Dk, мм макс.	k, мм макс.	d1, мм макс.	L1, мм мин.	Отверстие	Пакет	Нагрузки		Артикул	
						мм	мм	Н	Н		
3,2	6,0	9,5 +0,3/-0,7	2,0	1,78	25	3,3	1,0-3,5	360	450	1-ASLF 3206	
	8,0						3,5-5,0				1-ASLF 3208
	10,0						5,0-7,0				1-ASLF 3210
	12,0						7,0-9,0				1-ASLF 3212
	14,0						9,0-11,0				1-ASLF 3214
	16,0						11,0-13,0				1-ASLF 3216
4,0	6,0	12,0 +0,5/-1,0	2,5	2,18	27	4,1	1,0-3,0	540	750	1-ASLF 4006	
	8,0						3,0-5,0			1-ASLF 4008	
	10,0						5,0-6,5			1-ASLF 4010	
	12,0						6,5-8,5			1-ASLF 4012	
	14,0						8,5-10,5			1-ASLF 4014	
	16,0						10,5-12,5			1-ASLF 4016	
	18,0						12,5-14,5			1-ASLF 4018	
	20,0						14,5-16,5			1-ASLF 4020	
25,0	16,5-21,5	1-ASLF 4025									
4,8	8,0	16,0 +0,5/-1,0	2,5	2,7	27	4,9	1,5-4,0	935	1050	1-ASLF 4808	
	10,0						4,0-6,0			1-ASLF 4810	
	12,0						6,0-8,0			1-ASLF 4812	
	14,0						8,0-10,0			1-ASLF 4814	
	16,0						10,0-12,0			1-ASLF 4816	
	18,0						12,0-14,0			1-ASLF 4818	
	20,0						14,0-16,0			1-ASLF 4820	
	21,0						15,0-17,0			1-ASLF 4821	
	22,0						16,0-18,0			1-ASLF 4822	
	25,0						16,0-21,0			1-ASLF 4825	
	30,0						21,0-25,0			1-ASLF 4830	
35,0	25,0-30,0	1-ASLF 4835									
5,0	8,0	14,0 +0,5/-1,0	2,5	2,7	27	5,1	2,5-4,5	1100	1175	1-ASLF 5008	
	10,0						4,5-6,0			1-ASLF 5010	
	12,0						6,0-8,0			1-ASLF 5012	
	14,0						8,0-10,0			1-ASLF 5014	
	16,0						10,0-12,0			1-ASLF 5016	
	18,0						12,0-14,0			1-ASLF 5018	
	20,0						14,0-16,0			1-ASLF 5020	
	25,0						16,0-21,0			1-ASLF 5025	
30,0	21,0-25,0	1-ASLF 5030									

Возможен заказ заклепок Ø 4,8 мм с увеличенным бортиком Ø 12 и 14 мм.

Тип 2-AS LF

Увеличенный бортик

Алюминий (AlMg 2,5)/Сталь




D, мм +0,08/-0,15	L, мм	Dk, мм макс.	k, мм макс.	d1, мм макс.	L1, мм мин.	Отверстие мм	Пакет мм	Нагрузки		Артикул	
								Н	Н		
3,2	6,0	9,5 +0,3/-0,7	2,0	1,78	27	3,3	1,0-3,5	600	670	2-ASLF 3206	
	8,0						3,5-5,0				2-ASLF 3208
	10,0						5,0-7,0				2-ASLF 3210
	12,0						7,0-9,0				2-ASLF 3212
	14,0						9,0-11,0				2-ASLF 3214
	16,0						11,0-13,0				2-ASLF 3216
4,0	6,0	12,0 +0,5/-1,0	2,5	2,18	27	4,1	1,0-3,0	850	1020	2-ASLF 4006	
	8,0						3,0-5,0			2-ASLF 4008	
	10,0						5,0-6,5			2-ASLF 4010	
	12,0						6,5-8,5			2-ASLF 4012	
	14,0						8,5-10,5			2-ASLF 4014	
	16,0						10,5-12,5			2-ASLF 4016	
	18,0						12,5-14,5			2-ASLF 4018	
	20,0						14,5-16,5			2-ASLF 4020	
25,0	16,5-21,5	2-ASLF 4025									
4,8	8,0	16,0 +0,5/-1,0	2,5	2,7	27	4,9	1,5-4,0	1250	1430	2-ASLF 4808	
	10,0						4,0-6,0			2-ASLF 4810	
	12,0						6,0-8,0			2-ASLF 4812	
	14,0						8,0-10,0			2-ASLF 4814	
	16,0						10,0-12,0			2-ASLF 4816	
	18,0						12,0-14,0			2-ASLF 4818	
	20,0						14,0-16,0			2-ASLF 4820	
	21,0						15,0-17,0			2-ASLF 4821	
	22,0						16,0-18,0			2-ASLF 4822	
	25,0						16,0-21,0			2-ASLF 4825	
	30,0						21,0-25,0			2-ASLF 4830	
	35,0						25,0-30,0			2-ASLF 4835	
5,0	8,0	14,0 +0,5/-1,0	2,5	2,7	27	5,1	2,5-4,5	1400	2000	2-ASLF 5008	
	10,0						4,5-6,0			2-ASLF 5010	
	12,0						6,0-8,0			2-ASLF 5012	
	14,0						8,0-10,0			2-ASLF 5014	
	16,0						10,0-12,0			2-ASLF 5016	
	18,0						12,0-14,0			2-ASLF 5018	
	20,0						14,0-16,0			2-ASLF 5020	
	25,0						16,0-21,0			2-ASLF 5025	
30,0	21,0-25,0	2-ASLF 5030									

Возможен заказ заклепок Ø 4,8 мм с увеличенным бортиком Ø 12 и 14 мм.

Тип 3-AS LF

Увеличенный борт

Алюминий (AlMg 3,5)/Сталь



D, мм +0,08/-0,15	L, мм	Dk, мм макс.	k, мм макс.	d1, мм макс.	L1, мм мин.	Отверстие мм	Пакет мм	Нагрузки		Артикул
								H	H	
3,2	6,0	9,5 +0,3/-0,7	2,0	1,78	27	3,3	1,0-3,5	880	1150	3-ASLF 3206
	8,0						3,5-5,0			3-ASLF 3208
	10,0						5,0-7,0			3-ASLF 3210
	12,0						7,0-9,0			3-ASLF 3212
	14,0						9,0-11,0			3-ASLF 3214
	16,0						11,0-13,0			3-ASLF 3216
4,0	6,0	12,0 +0,5/-1,0	2,5	2,18	27	4,1	1,0-3,0	1390	2060	3-ASLF 4006
	8,0						3,0-5,0			3-ASLF 4008
	10,0						5,0-6,5			3-ASLF 4010
	12,0						6,5-8,5			3-ASLF 4012
	14,0						8,5-10,5			3-ASLF 4014
	16,0						10,5-12,5			3-ASLF 4016
	18,0						12,5-14,5			3-ASLF 4018
	20,0						14,5-16,5			3-ASLF 4020
	25,0						16,5-21,5			3-ASLF 4025
4,8	8,0	16,0 +0,5/-1,0	2,5	2,7	27	4,9	1,5-4,0	1870	2800	3-ASLF 4808
	10,0						4,0-6,0			3-ASLF 4810
	12,0						6,0-8,0			3-ASLF 4812
	14,0						8,0-10,0			3-ASLF 4814
	16,0						10,0-12,0			3-ASLF 4816
	18,0						12,0-14,0			3-ASLF 4818
	20,0						14,0-16,0			3-ASLF 4820
	21,0						15,0-17,0			3-ASLF 4821
	22,0						16,0-18,0			3-ASLF 4822
	25,0						16,0-21,0			3-ASLF 4825
	30,0						21,0-25,0			3-ASLF 4830
	35,0						25,0-30,0			3-ASLF 4835
5,0	8,0	14,0 +0,5/-1,0	2,5	2,7	27	5,1	2,5-4,5	2245	3690	3-ASLF 5008
	10,0						4,5-6,0			3-ASLF 5010
	12,0						6,0-8,0			3-ASLF 5012
	14,0						8,0-10,0			3-ASLF 5014
	16,0						10,0-12,0			3-ASLF 5016
	18,0						12,0-14,0			3-ASLF 5018
	20,0						14,0-16,0			3-ASLF 5020
	25,0						16,0-21,0			3-ASLF 5025
	30,0						21,0-25,0			3-ASLF 5030

Возможен заказ заклепок Ø 4,8 мм с увеличенным бортиком Ø 12 и 14 мм.